


1 / 22



Lane 1 represents lysis of targets by an M1 specific, A2.1 restricted CTL clone in the absence of addition of the M1 peptide. Lanes 2-9 all received 0.1 ug of the M1 peptide of influenza along with 10 ug of the following:

2. FLU NP 365-373
3. VSV-N-52-59
4. HIV-Pol 510-518
5. p53 264-272
6. p53 149-157
7. p53 65-73
8. p53 25-35
9. none

FIG. 1

2 / 22




FIG. 2A




FIG. 2B

3 / 22




FIG. 2C




FIG. 2D

4 / 22




FIG. 3A




FIG. 3B

5 / 22




FIG.3C




FIG.3D




FIG.3E

6 / 22




FIG. 4A




FIG. 4B

7 / 22




FIG. 4C




FIG. 4D

8 / 22




FIG. 4E




FIG. 4F

9 / 22




FIG. 5




FIG. 6

10 / 22




FIG. 7




FIG. 8

11 / 22




FIG. 9

12 / 22




FIG. 10A




FIG. 10B

13 / 22




FIG. 10C




FIG. 10D

14 / 22




FIG. 10E




FIG. 10F

15 / 22




FIG. 10G




FIG. 10H

16 / 22




FIG. 11A




FIG. 11B




FIG.12




FIG. 13A




FIG. 13B

19 / 22




FIG. 14A




FIG. 14B

20 / 22




FIG. 14C




FIG. 14D

21 / 22




FIG. 15A




FIG. 15B

22 / 22




FIG. 15C




FIG. 15D

SUBSTITUTE SHEET (RULE 26)